

F  
L  
U  
X  
  
S  
R  
L

ZENIUS SNOOTER  
SMALL ADJ 7W  
ROUND TRIMLESS



Sede Legale:

Via Brigata Macerata, 70 - 62100

MACERATA - ITALIA

P.I. IT 01997820434 -

REA: MC-253306

T. +39.071.0960074

[info@fluxitalia.com](mailto:info@fluxitalia.com)

[www.fluxitalia.com](http://www.fluxitalia.com)

**PRODUCT SERIES****SNOOTER****LIGHT SOURCE**

LED TYPE	COB
POWER MAX	7W
LUMINOUS FLUX	593LM
LUMINOUS EFFICIENCY(LM/W)	93LM/W
ENERGY EFFICIENCY INDEX	A+
COLOUR RENDERING INDEX(RA)	CRI>90
LED COLOUR TEMPERATURE(K)	3000K-3200K 3500K-4000K
STEP McADAM	SDCM 3
AVERAGE OPERATIONAL LIFE	30.000 HRS

**OPTIC**

REFLECTOR(LENS)	PLASTIC
BEAM ANGLE	15°-24°-38°
LIGHT DISTRIBUTION SYMMETRY	SYMMETRIC
ACCESSORIES	FRESNEL LENS FROSTED LENS HONEYCOMB

**LED FIXTURE**

HOUSING	ALUMINIUM
FINISH/ COLOUR	MATTE WHITE/MATTE BLACK CUSTOMIZED RAL COLOUR (on request)
IP PROTECTION GRADE	IP20
INSULATION CLASS	CLASS III



**ELECTRICAL FEATURES**

DRIVER	REMOTE
FIXED OR DIMMABLE	PUSH/1-10V/DALI
FOR EMERGENCY LIGHTING	SUITABLE
CONNECTION	200MA

**MECHANICAL FEATURES**

DIMENSIONS (MM)	DIA52.9XH85MM
CUTTING HOLE(MM)	DIA 57.5MM
TYPE OF INSTALLATION	RECESSED
APPROVAL	UL/CB/CE/ROSH

# TECHNICAL DATA

<p>P H O T O</p>		<p>D R A W I N G</p>	 <p>Φ52.9</p> <p>H85</p> <p>CUT HOLE: DIA57.5MM</p>
----------------------------------	---	--	---

# ACCESSORIES



FRESNEL



FROSTED



HONEYCOMB

