



F
L
U
X

S
R
L

ZENIUS SNOOTER
MEDIUM ADJ 20W
SQUARE TRIM



Sede Legale:

Via Brigata Macerata, 70 - 62100
MACERATA – ITALIA
P.I. IT 01997820434 -
REA: MC-253306
T. +39.071.0960074
info@fluxitalia.com
www.fluxitalia.com

PRODUCT SERIES

SNOOTER

LIGHT SOURCE

LED TYPE	COB
POWER MAX	20W
LUMINOUS FLUX	2120LM
LUMINOUS EFFICIENCY(LM/W)	121LM/W
ENERGY EFFICIENCY INDEX	A+
COLOUR RENDERING INDEX(RA)	CRI>90
LED COLOUR TEMPERATURE(K)	3000K-3200K 3500K-4000K
STEP McADAM	SDCM 2
AVERAGE OPERATIONAL LIFE	30.000 HRS

OPTIC

REFLECTOR(LENS)	PLASTIC
BEAM ANGLE	15°-24°-38°
LIGHT DISTRIBUTION SYMMETRY	SYMMETRIC
ACCESSORIES	FRESNEL LENS FROSTED LENS HONEYCOMB

LED FIXTURE

HOUSING	ALUMINIUM
FINISH/ COLOUR	MATTE WHITE/MATTE BLACK CUSTOMIZED RAL COLOUR (on request)
IP PROTECTION GRADE	IP20
INSULATION CLASS	CLASS III



ELECTRICAL FEATURES

DRIVER	REMOTE
FIXED OR DIMMABLE	PUSH/1-10V/DALI
FOR EMERGENCY LIGHTING CONNECTION	SUITABLE 500MA

MECHANICAL FEATURES

DIMENTIONS (MM)	SQ84XH112MM
CUTTING HOLE(MM)	SQ77MM
TYPE OF INSTALLATION	RECESSED
APPROVAL	UL/CB/CE/ROSH

TECHNICAL DATA

P H O T O		D R A W I N G	
-----------------------	---	---------------------------------	---

ACCESSORIES



FRESNEL



FROSTED



HONEYCOMB

