

F
L
U
X

S
R
L

ZENIUS WASHER
SMALL ADJ 7W
ROUND TRIM



Sede Legale:

Via Brigata Macerata, 70 - 62100
MACERATA – ITALIA
P.I. IT 01997820434 -
REA: MC-253306
T. +39.071.0960074
info@fluxitalia.com
www.fluxitalia.com

PRODUCT SERIES WALL WASHER

LIGHT SOURCE

LED TYPE	COB
POWER MAX	7W
LUMINOUS FLUX	593LM
LUMINOUS EFFICIENCY(LM/W)	93LM/W
ENERGY EFFICIENCY INDEX	A+
COLOUR RENDERING INDEX(RA)	CRI>90
LED COLOUR TEMPERATURE(K)	3000K-3200K 3500K-4000K
STEP MCADAM	SDCM 3
AVERAGE OPERATIONAL LIFE	30.000 HRS

OPTIC

LENS	PLASTIC
BEAM ANGLE	15°-24°-38°
LIGHT DISTRIBUTION SYMMETRY	SYMMETRIC
ACCESSORIES	FRESNEL LENS FROSTED LENS HONEYCOMB

LED FIXTURE

HOUSING	ALUMINIUM
FINISH/ COLOUR	MATTE WHITE/MATTE BLACK CUSTOMIZED RAL COLOUR (on request)
IP PROTECTION GRADE	IP20
INSULATION CLASS	CLASS III



ELECTRICAL FEATURES

DRIVER	REMOTE
FIXED OR DIMMABLE	PUSH/1-10V/DALI
FOR EMERGENCY LIGHTING	SUITABLE
CONNECTION	200MA














MECHANICAL FEATURES

DIMENSIONS (MM)	DIA61.6X79.1MM
CUTTING HOLE(MM)	DIA55MM
TYPE OF INSTALLATION	RECESSED
APPROVAL	UL CB CE ROHS

TECHNICAL DATA

P H O T O		D R A W I N G	 <p style="text-align: center;">CUT HOLE: DIA55MM</p>
-----------------------	---	---------------------------------	--

ACCESSORIES

ROUND REFLECTOR						
	GOLD	WHITE	BLACK	SILVER	MATTE SILVER	MATTE BLACK
FRONTAL COVER OR TRIM						
	TRIM ROUND-1	TRIM ROUND-2	TRIMLESS ROUND-1	TRIMLESS ROUND-2		
FRONTAL LENS						
	FRESNEL	FROSTED	HONEYCOMB			

Product exploded view |

