

SPOTLIGHT TRACK 48V



FLUX

FUTURE LIGHT UNIVERSAL XPERIENCE

EASY52 NEO T087 -T020



APPLICATIONS

ARCHITECTURAL HIGHLIGHTING
DIRECT ILLUMINATION
SHOP WINDOWS LIGHTING
SHELF LIGHTING
SHOWCASE LIGHTING
COVE LIGHTING

FEATURES

CUSTOMIZABLE FINISHING
WIDE COLOR TEMPERATURE SPECTRUM
IP20
UNIFORM LIGHT DIFFUSION
LED CONFIGURATION



For more information please check our website www.fluxitalia.com
or contact us tel.+39 071 0960086 email: info@fluxitalia.com


Via Armando Cingolani, 13 Zona ind.le Sambucheto di Recanati 62019 Recanati (MC) - Italy

PRODUCT INFO

T087-T020



DRAWINGS



COLORS

STANDARD



WHITE



BLACK

ON REQUEST



TECHNICAL DATA

LEDTYPE	COB
POWER MAX	18W
LUMINOUSFLUX*	1525 lm
LUMINOUSEFFICIENCY(LM/W)*	101
COLOURRENDERINGINDEX(RA)	CRI>90
LED COLOUR (K)	2700K - 3000K - 3500K - 4000K
STEPMCADAM	SDCM 2
AVERAGEOPERATIONALLIFE	50.000 HRS
OPTIC	REFLECTOR / LENS
BEAMANGLE	18° - 25° - 36° - 60°
LIGHTDISTRIBUTION	SYMMETRIC
MATERIAL	ALUMINIUM
IPPROTECTIONGRADE	IP 20
TYPEOFINSTALLATION	TRACK 48V
DRIVER	BUILT-IN ADAPTOR
FOREMERGENCYLIGHTING	SUITABLE
DIMENTIONS(mm)	D52 X H115

*refers to 4000 K



For more information please check our website www.fluxitalia.com

or contact us tel.+39 071 0960086 email: info@fluxitalia.com

Via Armando Cingolani, 13 Zona ind.le Sambucheto di Recanati 62019 Recanati (MC) - Italy

ACCESSORIES

T087-T020

LENS FILM



FRESNEL



FROSTED



HONEYCOMB

OPTIC



LENS



REFLECTOR

COMPATIBLE TRACK



T031



T079



T076




T078



T200



T082




T070



T081



T080



T077



T083



T084

