


# SPOTLIGHT MAGNET



## PERLA MINI M004



### APPLICATIONS

ARCHITECTURAL HIGHLIGHTING  
DIRECT ILLUMINATION  
SHOP WINDOWS LIGHTING  
SHELF LIGHTING  
SHOWCASE LIGHTING  
COVE LIGHTING

### FEATURES

ARCHITECTURAL HIGHLIGHTING  
DIRECT ILLUMINATION  
SHOP WINDOWS LIGHTING  
SHELF LIGHTING  
SHOWCASE LIGHTING  
COVE LIGHTING




For more information please check our website [www.fluxitalia.com](http://www.fluxitalia.com)  
or contact us tel.+39 071 0960086 email: [info@fluxitalia.com](mailto:info@fluxitalia.com)  
Via Armando Cingolani, 13 Zona ind.le Sambucheto di Recanati 62019 Recanati (MC) - Italy

### PRODUCT INFO

**M004**



### DRAWINGS



### TECHNICAL DATA

LEDTYPE	COB
POWER MAX (W)	9W
LUMINOUS FLUX (lm)*	676
LUMINOUS EFFICIENCY (lm/W)*	75
CRI	CRI>90
LED COLOUR (K)	2700K- 3000K- 3500K- 4000K
STEPMCADAM	SDCM 2
AVERAGE OPERATIONAL LIFE	50.000 HRS
OPTIC	LENS
BEAM ANGLE	11° - 30° - 40° - 60°
LIGHT DISTRIBUTION	SYMMTRIC
MATERIAL	ALLUMINIUM
IP PROTECTION GRADE	IP20
TYPE OF INSTALLATION	MAGNET
DRIVER	BUILT-IN ADAPTOR
FOR EMERGENCY LIGHTING	YES
DIMENSIONS(mm)	Ø35 X H76
CERTIFICATIONS	CE/RoHS/UL

\*refers to 4000K - 30°


### COLORS

STANDARD



ON REQUEST



**ACCESSORIES****M004****LENS****FRESNEL**  
0023**FROSTED**  
0024**HONEYCOMB**  
0068**RING****FLAT**  
0072**MEDIUM**  
0073**LONG**  
0074