
SPOTLIGHT Track 230V



LITE 80
T201



APPLICATIONS

ARCHITECTURAL HIGHLIGHTING
DIRECT ILLUMINATION
SHOP WINDOWS LIGHTING
SHELF LIGHTING
SHOWCASE LIGHTING
COVE LIGHTING

FEATURES

CUSTOMIZABLE FINISHING
WIDE COLOR TEMPERATURE SPECTRUM
IP20
UNIFORM LIGHT DIFFUSION
LED CONFIGURATION

For more information please check our website **www.fluxitalia.com**
or contact us tel.+39 071 0960086 email: info@fluxitalia.com
Via armando cingolani, 13 Zona ind.le Sambucheto di Recanati 62019 Recanati (MC) - Italy

FLUX
FUTURE LIGHT UNIVERSAL XPERIENCE

LITE 80

PRODUCT INFO

T201




TECHNICAL DATA

LEDTYPE	**COB**
POWER MAX (W)	**30**
LUMINOUSFLUX (lm)*	**2178**
LUMINOUSEFFICIENCY (lm/W)*	**121**
COLOURRENDERINGINDEX(RA)	**CRI>90**
LED COLOUR(K)	**3000K - 3200K - 3500K - 4000K**
STEPMCADAM	**SDCM 2**
AVERAGEOPERATIONALLIFE	**50.000 HRS**
OPTIC	**LENS**
BEAMANGLE	**15° - 25° - 36° - 50°**
LIGHTDISTRIBUTION	**SYMMETRIC**
MATERIAL	**ALUMINIUM**
IPPROTECTIONGRADE	**IP 20**
TYPEOFINSTALLATION	**TRACK 230V**
DRIVER	**BUILT-IN**
FOREMERGENCYLIGHTING	**No**
DIMENTIONS(mm)	**Ø80 x H145**
CERTIFICATIONS	**CE - RoHS**

**refers to 4000K - 25°*

DRAWINGS



COLORS

STANDARD

WHITE **BLACK**

ON REQUEST

For more information please check our website **www.fluxitalia.com**
or contact us tel.+39 071 0960086 email: info@fluxitalia.com
Via armando cingolani, 13 Zona ind.le Sambucheto di Recanati 62019 Recanati (MC) - Italy

FLUX
FUTURE LIGHT UNIVERSAL XPERIENCE

LITE 80

ACCESSORIES T201


LENS FILM



FRESNEL



FROSTED



HONEYCOMB

LENS




COMPATIBLE TRACK




T094



T095



T096



T097



T098

For more information please check our website **www.fluxitalia.com**
or contact us tel.+39 071 0960086 email: info@fluxitalia.com
Via armando cingolani, 13 Zona ind.le Sambucheto di Recanati 62019 Recanati (MC) - Italy